

CONTENTS

1. Features	3
2. Before Using	4
3. Setting the Time	5
4. Unique Functions of Solar-Powered Watches	6
• Insufficient Charge Warning Function	
• Time Setting Warning Function	
• Overcharge Prevention Function	
5. General Reference for Charging Times	10
6. Handling Precautions	11
• Charging Precautions	
7. Replacing the Secondary Battery	13
8. Precautions	14
9. Specifications	20

1. Features

This watch is a thin solar-powered watch provided with a solar cell beneath the dial that converts light energy into electrical energy to power the watch.

2. Before Using

Sufficiently charge the watch prior to use by exposing the dial to light. A considerable amount of time is required to recharge the watch so that it is able to run again once it has stopped. It is therefore recommended to prevent the watch from becoming insufficiently charged by making an effort to recharge it every day.

* Recharge the watch by exposing it to sunlight or other intense light if it has stopped.


This watch uses a secondary battery to store electrical energy. This secondary battery is a clean energy battery that does not contain mercury or other harmful substances. Once fully charged, the watch will continue to run for about six months without recharging.

<For Optimum Use of this Watch>

In order to use this watch comfortably, try to keep the watch charged at all times. There is no risk of overcharging no matter how often the watch is charged.

3. Setting the Time


* If the crown is of the screw-lock type, operate after first loosening the screw by turning the crown to the left, and after operation is completed, return the crown to the normal position and then securely tightening the screw by pushing the crown in while turning to the right.




- (1) Pull the crown out to the time correction position.
- (2) Turn the crown to set the time.
- (3) The watch will start to run when the crown is securely pushed in to the normal position.

4. Unique Functions of Solar-Powered Watches

This watch is provided with a function that causes a warning function to be activated when the watch is insufficiently charged that alters the display to inform the wearer of insufficient charge.






[1-minute interval movement] :
Minute hand moves regularly
in three step once per minute.

<Insufficient Charge Warning Function>

The minute hand moves by 1-minute interval movement (in which the minute hand moves regularly in three steps every minute) to indicate that the watch is insufficiently charged. Although the watch will keep the correct time at this time, after about 3 days have passed since the start of 1-minute interval movement, the watch ends up stopping as a result of being insufficiently charged. Sufficiently recharge the watch by exposing to light so that the minute hand returns to normal movement (in which the minute hand moves every 4 seconds).



[Irregular 1-minute interval movement] :
Minute hand moves irregularly
in three steps once per minute.

<Time Setting Warning Function>

Although the watch hands will begin to move when again exposed to light after the watch has stopped, since the time is incorrect, the minute hand moves in irregular 1-minute interval movement (in which the minute hand moves irregularly in three steps every minute) to indicate that the time is incorrect. Reset the time and sufficiently recharge the watch. Irregular 1-second interval movement will continue until the time has been reset even if the watch is sufficiently recharged.

<Overcharging Prevention Function>

When the secondary battery becomes fully charged, the overcharging prevention function is activated to prevent the battery from being charged further, enabling the watch to be recharged without worrying about overcharging.

5. General Reference for Charging Times

Recharging time varies according to the watch model (such as the color of the dial). The times in the table below should therefore only be used as a rough reference.

* Charging time refers to the amount of time during which the watch is continuously exposed to light.

Illuminance (lx)	Environment	Charging time		
		One day usage	Charging time from the stopped state to normal hand movement (4-second interval movement)	Full charge time
500	Inside an ordinary office	3 hours 30 minutes	-----	-----
1.000	Under a fluorescent lamp (30 W) at a distance of 60-70 cm (24-28 in)	1 hour 30 minutes	73 hours	-----
3.000	Under a fluorescent lamp (30 W) at a distance of 20 cm (8 in)	30 minutes	20 hours	143 hours
10.000	Outdoors, cloudy	10 minutes	5 hours 30 minutes	44 hours
100.000	Outdoors, summer and sunny under direct sunlight	1 minute	35 minutes	4 hours 30 minutes

Full charge time: Time to fully recharge the watch after it has stopped.

One day usage: Time required for recharging the watch to run for 1 day with normal hand movement (4-second interval movement).

6. Handling Precautions

<Try to Keep the Watch Charged at All Times>

Please note that if you wear long sleeves, the watch can easily become insufficiently charged as a result of the watch being covered and not being exposed to light. The watch will continue to run properly if it is placed in as bright a location as possible even when not being worn.

Charging Precautions

- Allowing the watch to reach high temperatures during recharging can damage the watch. Avoid recharging in locations that can reach high temperatures (about 60°C /140°F or higher).

Examples: · Charging by placing the watch in close proximity to a light source that easily becomes hot such as an incandescent lamp or halogen lamp.

- Charging the watch in a location that can easily become hot such as on an automobile dashboard

· When charging using the light from an incandescent lamp, charge while being careful that the watch does not become excessively hot by placing at a distance of at least 50 cm (20in) from the lamp.

7.Replacing the Secondary Battery

Unlike ordinary batteries, the secondary battery used in this watch can be repeatedly charged and discharged and is not required to be periodically replaced.

CAUTION

Never use another battery different from the secondary battery used in this watch. The watch structure is so designed that a different kind of battery other than that specified cannot be used to operate it. In case a different kind of battery such as a silver battery is used by some chance, there is a danger that it will be overcharged to burst, causing damage to the watch and even to the human body.

8. Precautions

CAUTION: Water-resistance performance






There are several types of water-resistant watches as shown in the following table.

The unit "bar" is roughly equal to 1 atmosphere.

* WATER RESIST (ANT) xx bar may also be indicated as W.R. xx bar.

Indication		Specifications
Dial	Case (Case back)	
WATER RESIST or no indication	WATER RESIST(ANT)	Water-resistant to 3 atmospheres
WR 50 or WATER RESIST 50	WATER RESIST(ANT) 5 bar or WATER RESIST(ANT)	Water-resistant to 5 atmospheres
WR 100/200 or WATER RESIST 100/200	WATER RESIST(ANT) 10 bar/20 bar or WATER RESIST(ANT)	Water-resistant to 10/20 atmospheres

For correct use within the design limits of the watch, confirm the level of water-resistance of your watch, as indicated on the dial and case, and consult the table.

Examples of use				
				
Minor exposure to water (washing face, rain, etc.)	Moderate exposure to water (washing, kitchen work, swimming, etc.)	Marine sports (skin diving)	Scuba diving (with air tank)	Operation of the crown with moisture visible
OK	NO	NO	NO	NO
OK	OK	NO	NO	NO
OK	OK	OK	NO	NO

- Water-resistance for daily use (to 3 atmospheres): This type of watch is water-resistant to minor exposure to water. For example, you may wear the watch while washing your face; however, it is not designed for use underwater.
- Upgraded water-resistance for daily use (to 5 atmospheres): This type of watch is water-resistant to moderate exposure to water. You may wear the watch while swimming; however, it is not designed for use while skin diving.
- Upgraded water-resistance for daily use (to 10/20 atmospheres): This type of watch may be used for skin diving; however, it is not designed for scuba or saturated diving using helium gas.

CAUTION:

- Be sure to use the watch with the crown pressed in (normal position). If your watch has a screw-type crown, be sure to tighten the crown completely.
- Do NOT operate the crown with wet fingers or when the watch is wet. Water may enter the watch and compromise water-resistance.
- If the watch is used in seawater, rinse with fresh water afterward and wipe with a dry cloth.
- If moisture has entered the watch, or if the inside of the crystal is fogged up and does not become clear within a day, immediately take the watch to your dealer or

Citizen Service Center for repair. Leaving the watch in such a state will allow corrosion to form inside.

- If seawater enters the watch, place the watch in a box or plastic bag and immediately take it in for repair. Otherwise, pressure inside the watch will increase, and parts (crystal, crown, buttons, etc.) may come off.

CAUTION: Keep your watch clean.

- Leaving dust and dirt deposited between the case and crown may result in difficulty in pulling the crown out. Rotate the crown while in its normal position from time to time to loosen dust and dirt and then brush it off.
- Dust and dirt tend to be deposited in gaps in the back of the case or band. Deposited dust and dirt may cause corrosion and soil your clothing. Clean the watch occasionally.

Cleaning the Watch

- Use a soft cloth to wipe off dirt, perspiration and water from the case and crystal.
- Use a soft, dry cloth to wipe off perspiration and dirt from the leather band.
- To clean a metal, plastic, or rubber watchband, wash away dirt with water. Use a soft brush to remove dust and dirt jammed in the gaps in the metal band.

NOTE: Avoid using solvents (thinner, benzine, etc.), as they may mar the finish.

CAUTION: Operating environment

- Use the watch within the operating temperature range specified in the instruction manual.
Using the watch where temperatures are outside the specified range may result in deterioration of functions or even stoppage of the watch.
- Do NOT use the watch in places where it is exposed to high temperature, such as in a sauna.
Doing so may result in a burn.
- Do NOT leave the watch in a place where it is exposed to high temperature, such as the glove compartment or dash-board of a car.
Doing so may result in deterioration of the watch, such as deformation of plastic parts.
- Do NOT place the watch close to a magnet.
Timekeeping will become inaccurate if you place the watch close to magnetic health equipment such as a magnetic necklace, a magnetic latch of a refrigerator door, handbag clasp or the earphone of a mobile phone. If this has occurred, move the watch away from the magnet and reset the time.
- Do NOT place the watch close to household appliances that generate static electricity.

Timekeeping may become inaccurate if the watch is exposed to strong static electricity, such as is emitted from a TV screen.

- Do NOT subject the watch to a strong shock such as dropping it onto a hard floor.
- Avoid using the watch in an environment where it may be exposed to chemicals or corrosive gases.

If solvents, such as thinner and benzine, or substances containing such solvents come in contact with the watch, discoloration, melting, cracking, etc. may result. If the watch comes in contact with mercury used in thermometers, the case, band or other parts may become discolored.

Periodical inspections

Your watch requires inspection once every two or three years for safety and long use.

To keep your watch water resistant, the packing needs to be replaced regularly.

Other parts are required to be inspected and replaced as necessary.

Ask for Citizen genuine parts during replacement.

9. Specifications

- **Cal.No.:** G82*
- **Type:** Analog solar-powered watch
- **Timekeeping accuracy:** ± 15 seconds per month on average (when worn at normal temperatures of $+5^{\circ}\text{C}$ to $+35^{\circ}\text{C}$ / 41°F to 95°F)
- **Operating temperature range:** -10°C to $+60^{\circ}\text{C}$ / 14°F to 140°F)
- **Display functions:** Hours, minutes (2 hands)
- **Additional functions**
 - Insufficient charge warning function
 - Time setting warning function
 - Overcharging prevention function
- **Continuous operating times:**
 - From fully charged to stopped: About 6 months
 - From the insufficient charge warning display to stopped: About 3 days
- **Battery:** Secondary battery, 1 pc.

* Specifications are subject to change without notice.